

Slider PRO 60 MAGNETIC

SKU	SH03150005
EAN	8055687020492
UPC	816892020060

Slider PRO 80 MAGNETIC

SKU	SH03150010
EAN	8055687020508
UPC	816892020077

Slider PRO 100 MAGNETIC

SKU	SH03150015
EAN	8055687020515
UPC	816892020084

Slider PRO 150 MAGNETIC

SKU	SH03150020
EAN	8055687020522
UPC	816892020091



OVERVIEW

ShooTools Camera Slider Pro Magnetic Field: it's the state of art of the **Professional sliders** due to its unique design, its extreme lightness and incredible **load capacity of over 110 lb (50 kg)**. **Guaranteed for life.**

MAGNETIC FIELD

Camera Slider Pro, characterized by its innovative **Magnetic Field Technology**, revolutionises the way of shooting: a magnetic field is generating between the lateral stoppers and the carriage while running close the end-stop and counteracts at the beginning/end of the track, by slowing down the run of the carriage while reaching the end-stop. Thanks to this system, you'll never impact against the end-stop and you are going to generate always new original **bouncing effects** and fabulous lateral or frontal accelerations.

RAIL

That's the real ShooTools' avant-garde gem: the rail has got an **absolute exclusive unique layout, designed and extruded by ShooTools**. Light and at the same time strong, the ShooTools Slider Pro has a peculiar **trapezoidal section** designed to have the maximum steadiness possible. Being only 4,85 lb (2.2 kg) heavy, it can support weights over 110 lb (50 kg). The peculiar shape of the rail hosts the carriage, that running inside the rail, sets to zero any eventuality of damaging the wheels.

WOOD END-STOP LATERALS

The **end-stop made of wood** is absolutely pleasing to the touch and offers a unique grip. Characterized by a low specific weight, the wood has got a high mechanic resistance and offers at the same time an exquisite design.

CARRIAGE

Iconic stability: the carriage is **milled from a piece of extruded aluminium**, realized by high working mechanic precision, within a hundredth of a millimetre, that assure high standard of resistance and load balance. The sophisticated friction system and brake on-board made the carriage a real mechanical masterpiece, unrivalled.

HIGHLIGHTS

- 100% Made in Italy
- Magnetic Field Technology
- Trapezoidal Rail Layout
- 110 lb Load Capacity
- Billet Anticorodal Made
- 8 High Precision Steel Ball Bearings
- Integrated Feet
- ST-66 Polymer Wheels
- Ready for Motion Control
- LIFETIME WARRANTY

IN THE BOX

- Camera Slider PRO
- Tabletop Feet
- Non-woven fabric wrapper
- Set-up Keys
- Instruction Manual

WARRANTY

LIFETIME WARRANTY

OVERVIEW

SPECIAL WHEELS

Special wheels realized with an **innovative ST-66 technopolymer designed by ShooTools** in order to guarantee max smoothness and extreme carriage fluidity. The main characteristics of this material are that it is resistant to high temperatures, + 266 °F (130 °C) as to the low ones, till -58 °F (-50 °C), and it guarantees high payload without deformations. Each wheel is characterized by a **double steel ball bearing** that equipped the exclusive ShooTools' wheel assembly, for a max fluidity of movement and performance.

FRICTION AND BRAKE SYSTEM

A double friction system allows the adjustment of the feeling in real time in every moment, by acting both on the wheel group and through the comfy knob. While, quick and easy to use, the new ergonomic system of brake generates an extreme safe blockage, suitable for any kind of set-up, even for the heaviest one.

INTEGRATED FEET

4 adjustable feet complete ShooTools Camera Slider PRO: integrated into the structure itself of the slider, they are ready to use and can be easily and quickly moved along the full slider length.

FIXING BASES

Camera Slider Pro has got two special bases for threaded holes of 1/4" and 3/8", easily adjustable along the full rail and suitable for tripods. On the carriage is possible to mount any kind of photo or video head with 3/8" thread, a standard in the field.

QUALITY of Made in Italy

Each component undergoes **two distinct types of treatment**: the first one, by shot peening through ceramic spheres, increases the hardness and the resistance to fatigue of the object and, in addition, provides a pleasant hi-grip finish. The second treatment, anodizing at 30 microns, protects the device from any external agent. These technical solutions allow the use of the ShooTools Camera Slider Pro everywhere without compromises. **Slider Pro has a lifetime warranty.**

SPECS

Rails	Trapezoidal Rail Layout
Payload	110 lb (50 kg)
Wheels	ST-66 Special Polymer Wheels
Ball Bearings	8 High Precision Ball Bearings
Feet	Integrated tabletop feet
Friction System	ShooTools Double Friction System
Magnetic Field	Start and Stop Assistant
Screw Thread	3/8"-16
Tripod Mounting Threads	2 x 1/4"-20 2 x 3/8"-16"
Weight 23,6" (60 cm)	4,85 lb (2,2 kg)
Weight 31,5" (80 cm)	5,51 lb (2,5 kg)
Weight 39,4" (100 cm)	6,17 lb (2,8 kg)
Weight 59,0" (150 cm)	7,71 lb (3,5 kg)
Materials	Anodized aluminium, steel ball bearing, PSU polymer wheels
Treatments	Shot peening through ceramic spheres Organic Anodization at 30 micron

ACCESSORIES



SUPPORT LEGS

SKU	SH81060015
EAN	8055687020416
UPC	816892020404



SAND BAG 15

SKU	SH81030081
EAN	8055687020423
UPC	816892020435



TILT HI HAT 3/8"

SKU	SH81040005
EAN	8055687020669
UPC	816892020343



TILT HI HAT M10

SKU	SH81040009
EAN	8055687020812
UPC	816892020428

BAG SLIDER 60 (23,6")

SKU	SH81030005
EAN	8055687020430
UPC	816892020282

BAG SLIDER 80 (31,5")

SKU	SH81030010
EAN	8055687020447
UPC	816892020299

BAG SLIDER 100 (39,4")

SKU	SH81030015
EAN	8055687020454
UPC	816892020305



BAG SLIDER 150 (59")

SKU	SH81030020
EAN	8055687020461
UPC	816892020312